

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://de.fast2test.com>

Anbieter der Studienmaterialien zur IT-Zertifizierung! Sicher, einfach und schnell. 100%-Pass-Garantie!

Exam : 920-112

Title : NNCSS Media Processing
Server(MPS)500-Technical Support

Vendors : Nortel

Version : DEMO

NO.1 A technician configures the tms.cfg file for two spans on a Media Processing Server (MPS) 500 system.

Which configuration file needs to be modified to associate the Call Control Manager (CCM) with 48 phone lines?

- A. vos.cfg
- B. ase.cfg
- C. gen.cfg
- D. tms.cfg

Answer: A

NO.2 A technician receives a replacement TMS assembly from the parts depot. The technician makes all the necessary connections to the Application Processor, but the TMS assembly will NOT boot. What action

will boot the Media Processing Server (MPS) 500?

- A. Edit the bootptab file with the new IP address of the TMS assembly.
- B. Edit the hosts file with the new Ethernet address of the TMS assembly.
- C. Edit the ethers file with the new Ethernet address of the TMS assembly.
- D. Edit the bootptab file with the new Ethernet address of the TMS assembly.

Answer: D

NO.3 A technician needs to allow phone lines 1-24 to communicate to Host 1, and phone lines 25-48 to communicate to Host 2. Which command set will allow the technician to enable this configuration?

- A. h1 p 1-24 host 1 and h1 p 25-48 host 2
- B. h1 p 1-24 host 1 and h2 p 25-48 host 2
- C. h1 p 1-24 session 1 and h1 p 25-48 session 2
- D. h1 p 1-24 session 1 and h2 p 25-48 session 2

Answer: D

NO.4 A technician is configuring a Media Processing Server (MPS) 500 and wants to allow an application to be notified if the host does NOT respond after 30 seconds. Which configuration will enable this requirement?

- A. h1 p 1-24 er 30

- B. h1 p 1-24 ertimer 30
- C. h1 p 1-24 ertimeout 30
- D. h1 p 1-24 ermaxtime 30

Answer: A

NO.5 When a Media Processing System (MPS) 500 system is started, which file would you use to activate a multimedia file for recording?

- A. vmm-cmr.cfg
- B. vmm-mmf.cfg
- C. vmm-rec.cfg
- D. vmm-smp.cfg

Answer: B

NO.6 Which service would you use to stop and start the Startup and Recovery Process (SRP)?

- A. Nortel Networks Startup Service
- B. Nortel Networks License Service
- C. Nortel Networks Shutdown Service
- D. Nortel Networks Remote Shell (RSH) Service

Answer: A

NO.7 Which path and file must contain entries for all of the Network interfaces on the MPS 500?

- A. \hosts
- B. \etc\hosts
- C. \Winnt\System32\hosts.cfg
- D. \Winnt\System32\drivers\hosts

Answer: D

NO.8 A technician sees the following output on an Application Processor monitor. VMM:
Initiating

deactivation of MMF [NUMDEMO] VMM: Successfully deactivated [NUMDEMO] Which command did the

technician enter to show this output?

- A. vmm deactivate numdemo
- B. vmm mmfrecord numdemo
- C. vmm mmfunload numdemo

D. vmm mmfdeactivte numdemo

Answer: C

NO.9 Other than the Vshell, where else can the first character timer be set for a single line?

A. tms.cfg

B. vvm.cfg

C. MPSConfigurator

D. PeriProducer application

Answer: D

NO.10 A 24-port Media Processing Server (MPS) 500 is being upgraded to a 48-port system.

Which three

configuration files will be changed? (Choose three.)

A. tms.cfg

B. plservrc

C. ccm.cfg

D. vpshosts

Answer: ABC