

Fast2Test

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

<https://de.fast2test.com>

Anbieter der Studienmaterialien zur IT-Zertifizierung! Sicher, einfach und schnell. 100%-Pass-Garantie!

Exam : 920-468

Title : Nortel VPN Router Rls.7.0
Advanced Configuration and Mgmt

Vendors : Nortel

Version : DEMO

NO.1 A customer needs to provide fail-over support capability on their statically routed branch office tunnels and would like to configure the VPN Routers with redundant static routes. Which step can be used to configure static tunnels for fail-over?

- A.Create a single static tunnel.
- B.Give subsequent static routes a lower cost.
- C.Configure static tunnel fail-over using keep-alive and/or idle time out.
- D.Give the primary static route a higher cost.

Answer:C

NO.2 Virtual Router Redundancy Protocol (VRRP) has been configured to run as master on a physical interface of a VPN Router. Three additional interfaces, each in a separate interface group, have been associated with this master VRRP interface. Assume one of the three additional interface has gone down.

How will the VPN Router react?

- A.It will force a VRRP fail-over.
- B.It will reroute traffic to the associated VRRP master interface.
- C.It will reroute traffic to one of the two remaining additional interface groups.
- D.No action necessary, since two additional interfaces are available to the master.

Answer:A

NO.3 A VPN Router customer is using certificate authentication for user and branch office tunnels. A supervisor has suggested configuring Certificate Management Protocol (CMP) on the VPN Routers company wide in order to reduce the administrator's workload. In what way would the configuration of CMP benefit the administrator?

- A.CMP automates the processes of Certificate Revocation List (CRL) updates and CRL distributions to all VPN Routers.
- B.CMP allows the VPN Router to act as a Certification Authority (CA) for other VPN Routers on the network.
- C.CMP automates the process of client certificate distribution, so the clients do not need to

generate a
certificate request.

D.CMP offers management of the entire certificate and key life cycle for the server of the
VPN Router.

Answer:D

NO.4 Virtual Router Redundancy Protocol (VRRP) has been configured on the VPN Routers
of a customer's

network. However, all of the traffic is being routed to the Backup and not the Master. What
could be a

possible reason for this problem?

A.The Virtual Router ID (VRID) is not configured correctly.

B.The Backup and Master VPN Routers are running two different versions of code.

C.The Priority Value of the Master is set to 100, and the Backup is set to a higher value.

D.The authentication string in the Authentication Data field is not set.

Answer:C

NO.5 To enable Fail-over support in a VPN Router configuration, a technician is setting up
Static Tunnel

Fail-over for Branch Office Tunnels. Primary and subsequent static routes will be created. To
provide the

required Fail-over support, how will the primary tunnel be configured?

A.It must be nailed up.

B.It must use RIP only.

C.It must use OSPF only.

D.It must be a virtual tunnel.

Answer:A

NO.6 A high-profile customer dealing with electronic commerce requires non-repudiation of a
signature and

needs a way to guarantee both the integrity of the data and the authenticity of a sender. You
recommend

the use of digital certificates and the associated digital signature algorithm. Which statement
about the

digital signature algorithm is false?

A.The digital signature is computed using a set of rules and a set of parameters such that the
identity of

the signatory and integrity of the data can be verified.

B.Each user possesses a private and public key pair. Anyone can verify the signature of a user by

employing that user's public key.

C.The digital signature shows who actually ordered the merchandise and but cannot guarantee that the

information on the order has not been changed.

D.A private key is restricted for signature use.

Answer:C

NO.7 A customer would like their remote users to be able to establish a VPN tunnel with an alternate VPN

Router, if the primary VPN Router fails. What would need to be configured to ensure Fail-over protection?

A.Demand Services

B.Firewall and DHCP settings on the remote PC

C.Only LDAP group parameters

D.VPN Router user tunnel for IPSec fail-over service

Answer:D

NO.8 Employees at the company headquarters and out in the field have found that they are moving from an

Ethernet connection to a wireless connection and back, on a regular basis while still having a VPN tunnel

established. A network administrator has been tasked with finding a solution that preserves the IPSec

tunnel while roaming within the LAN, without affecting applications that use the VPN tunnel.

Which

solution would you recommend for this customer?

A.IPSec fail-over

B.Nortel IPSec Mobility

C.Tunnel Persistence Mode

D.Virtual Router Redundancy Protocol (VRRP)

Answer:B

NO.9 Virtual Router Redundancy Protocol (VRRP) has been configured to run as master on a physical

interface of a VPN Router. Two additional interface groups have been associated with this master VRRP

interface by use of an interface group. Assume these two additional interface groups have gone down.

Which statement describes the state of the VRRP master interface in this scenario?

A.The VRRP master interface remains in the up state as long as the master physical interface is up.

B.The VRRP master interface stays in the down state until all associated interface groups come up.

C.The VRRP master interface goes into a hold state until at least one of the two interface groups comes up.

D.The VRRP master interface goes into a down state until at least one of the two interface groups comes up.

Answer:B

NO.10 In a VPN Router network, a technician has enabled the Fail-over feature so that all remote users

working offsite using the Nortel VPN Client will attempt to connect to one or more alternate VPN Router

devices if the primary VPN Router fails. Which statement is true regarding the IP addresses specified for

the alternate VPN Router devices in the Fail-over?

A.The IP addresses must be for public interfaces.

B.The IP addresses must be for private interfaces.

C.The IP addresses must match the VPN Router management interface address.

D.The IP addresses must match the primary VPN Router interface address.

Answer:A